

A harmonious blend of luxury and power, the 2012 Anthem resonates beauty and class.

WE FINESSED EVERY DETAIL. We mastered momentous power. Then, we seamlessly combined the two, creating the 2012 Anthem, an ensemble of sophistication and performance.

Equal parts power and maneuverability, Anthem combines a Cummins 450 HP engine with a Spartan tag axle chassis, making the road yours to conquer.

And with a bravado for beauty, our luxury motor coach radiates elegance with solid hardwoods, fine Amish craftsmanship, weathered iron fixtures and porcelain tile highlights. Refined and radiant on every level, Anthem is a triumph of luxury.





















REFRESHING DETAILS

Indulge a little and pamper a lot in Anthem's bathroom, complete with beautiful, weathered iron nickel fixtures, DuPont Corian solid-surface countertops and a radius walk-in shower with porcelain tile surround. In the bedroom, you only have to lift a finger thanks to your in-bed remote. Whether you're watching a movie on the bedroom's home theatre system or locking up your coach, Anthem lets you do it from your King Select Comfort air mattress.

DESIGN AND FUNCTION

Anthem offers up all the comforts you need. From the convenient Multiplex lighting system, that puts everything at your fingertips, to the Aqua-Hot 450 hydronic heating system with its on-demand hot water, to Anthem's electric fireplace and central vacuum system, indulgence takes on new meaning.









Great engineering starts with great priorities. At Entegra Coach, your safety tops our list. That's why we build an integrated 3-point lap and shoulder safety belt into each cab seat—because your safety should never be compromised.



SMARTWHEEL
Anthem's VIP SmartWheel
features integrated multiplexed
controls. With push-button
shift and cruise control, tilt
and telescoping steering and
everything else you need at
your fingertips, the SmartWheel
lets you master the road—in a
soft-touch, wood-grain,
leather-wrapped steering wheel.



SIRIUS SATELLITE RADIO With 180-plus, commercialfree channels to choose from, you can hit the open road listening to music, sports, news, traffic, weather and more. When we said Anthem delivers a melody of luxuries, we weren't kidding.

COMFORT AND SAFETY

Anthem's well-appointed cab is a driver's delight. Ingeniously comfortable, it features adjustable foot pedals, powered front sun visors and distressed Ultraleather chairs with six-way power for a heavenly journey. And thanks to a Spartan Message Center, GPS navigation, Bluetooth, touch-screen entertainment and Ultra-Vision wrap-around windshield, you'll do more than just command the road—you'll own it—and every unconquered pass.

ENTEGRACOACH.COM





ENTERTAINMENT Regale your guests with Anthem's standard exterior entertainment system, featuring a 32" LCD HDTV, CD/DVD player, radio and outdoor speakers.





The simplest innovations can lead to the biggest conveniences. Take for instance our easily accessible slideout storage tray with side-hinged baggage doors. Who knew frills could be so simple? We did, of course.



BUILT TO LAST

At Entegra Coach, we strive to uphold our reputation for integrity. Our construction is no exception. Ingeniously designed, carefully executed, Anthem is built to last, starting with Aluma-Tru Superstructure construction on 16" centers, a fiberglass roof complete with front and rear molded caps and a Polar Pack insulation package, we refuse to compromise on any detail.

- 1. Rear-molded fiberglass cap with high-mounted integrated air intake
- 2. Flush-mounted slideout rooms
- 3. Triple 15,000-BTU low-profile roof A/Cs with heat pumps and drain tubes
- 4. Deluxe full-body paint package
- 5. Porcelain tile with inlays throughout
- 6. Slideout storage tray
- 7. Extra large basement storage

- 8. Smooth gel-coat fiberglass exterior
- 9. Lauan, 1/2" foam and fiberglass insulation sidewalls
- 10. Reflective Flexfoil insulation on all 6 sides
- 11. Frameless tinted dual-pane safety-glass windows
- 12. Fiberglass roof
- 13. 3/8" plywood roof decking
- 14. 3/4" plywood floor decking
- 15. Wood truss floor risers

- 16. Steel tubular floor joists
- 17. X-Bridge frames engineered into chassis
- 18. Floor and underbelly fiberglass and Flexfoil insulation
- 19. Side-hinged baggage doors
- 20. Aluma-Tru Superstructure construction on 16" centers
- 21. Roof fiberglass and Flexfoil insulation
- 22. Vinyl padded ceiling
- 23. Welded crowned aluminum truss rafters 16" on centers
- 24. Front-molded fiberglass cap
- 25. Entry door with Sur-Seal air lock
- 26. Ultra-Vision wrap-around one-piece windshield
- 27. Daytime running lights
- 28. Outside generator slideout tray





The premier foundation.

STRONG. RELIABLE. PROVEN. At Entegra Coach, we believe foundation is everything, which is why Anthem is built on a Spartan Mountain Master chassis. For over 35 years, Spartan has committed itself to the highest standards in chassis engineering and manufacturing. The result—a fully integrated Class A motor coach that drives and performs beyond your expectations.

An Allison GEN 4 electronic 6-speed automatic transmission utilizes the full power of the engine while providing better fuel economy

> A powder-coated steel frame rail construction withstands corrosion



Sharing in our passion for customer service, Spartan Chassis offers 460-plus trained and authorized service centers throughout the U.S. and Canada. And because your peace of mind is a priority, Spartan boasts a 3-year, 50,000-mile chassis warranty, National Motor Club 24/7 Roadside Assistance and ASE Certified Factory Service Technicians.




Each Spartan chassis is

superior foundation

dynamometer tested and laser

aligned to create Anthem's







REINFORCED DESIGN

Anthem is built to protect you on the road. Engineered to deliver strength where it's needed most, our reinforced front cap and windshield frame are bolted to each sidewall for a structure designed with your safety in mind.



X-BRIDGE FRAME

Entegra Coach's exclusive X-Bridge frame helps prevent flexing throughout, averting cracks in tile and grout and reducing windshield movement and noise. Unyielding, the X-Bridge maintains Anthem's rigidity for better suspension and a smoother ride.

AMERICA'S BEST RIDE

Boasting a Cummins ISL 450 turbocharged horsepower engine with Allison GEN 4 3000 MH six-speed transmission and electronic shifter, Anthem has power to spare, while its muffled Jake brake system provides quieter, more efficient braking.







FABRIC CHOICES







KENSINGTON PALACE



*Standard bathroom wood








ANTHEM | 42DLQ



ANTHEM | 42RBQ



ANTHEM | 44DLQ



ANTHEM | 44SL



OPTIONS











EURO CHAIR OPTION

WARD = wardrobe | LAV = bathroom sink | MICRO = microwave OHC = overhead cabinets | FRIDGE = refrigerator | MED = medicine cabinet

SPECIFICATIONS

FLOORPLAN	42DLQ	42RBQ	44DLQ	44SL
GVWR (LBS.)	46,600	46,600	46,600	46,600
GCWR (LBS.)	61,600	61,600	61,600	61,600
FRONT GAWR (LBS.)	14,600	14,600	14,600	14,600
REAR GAWR (LBS.)	20,000	20,000	20,000	20,000
TAG AXLE GAWR (LBS.)	12,000	12,000	12,000	12,000
WHEEL BASE	296"	296"	320"	320"
OVERALL LENGTH	43' 1"	43' 1"	44' 11"	44' 11"
OVERALL HEIGHT WITH AIR & SATELLITE	12' 10"	12' 10"	12' 9"	12' 9"
EXTERIOR WIDTH	101"	101"	101"	101"
INTERIOR HEADROOM	84"	84"	84"	84"
FRESH WATER CAPACITY (GALS.)	100	100	100	100
GREY WASTE WATER CAPACITY (GALS.)	60	60	60	60
BLACK WASTE WATER CAPACITY (GALS.)	60	60	60	60

STANDARDS AND OPTION
CTANDARD BATHROOM FOURDARNIT
STANDARD BATHROOM EQUIPMENT
2-panel residential-style solid hardwood passage doors
Porcelain tile shower with integrated seat
Residential medicine cabinet with mirror
Soap dispenser
Thetford Aria porcelain stool with push-button flush
STANDARD BEDROOM EQUIPMENT
All-in-one home theatre remote
Home theatre system, Dolby Digital 5.1 Surround Sound
In-bed remote secure coach locking system
King Select Comfort air mattress
Large cedar-lined wardrobe
Quilted bedspread with 2 pillow shams
Samsung 32" LCD HDTV
STANDARD KITCHEN EQUIPMENT
12" x 12" porcelain tile floor in kitchen with inlays
Amana 1.6 cu. ft. convection microwave oven with carousel
Cutting board
DuPont Corian sink covers (2)
DuPont Corian solid surface countertops
with integrated sink
Fisher/Paykel dishwasher drawer
High-rise single-lever faucet with pull-out sprayer
Jenn-Air flush-mounted, electric 2-burner
touch-control range
Porcelain tile backsplash with inlays
Silverware drawer
Trash can and sink cover storage compartment under sink
Whirpool 23 cu. ft. residential refrigerator with ice maker
and water dispenser
DRIVER COMPARTMENT AMENITIES
26" LCD HDTV
A/C/heater vents by foot pedals
Adjustable foot pedal
Battery boost switch
Chassis battery disconnect
Cruise control (SmartWheel controlled)
Distressed Ultraleather power adjustable driver
and passenger seats with integrated 3-point lap and
shoulder safety belts
Fog lights
High-output dash heater and A/C
In-dash compass and exterior temperature gauge
Intermittent windshield wipers, single motor
(SmartWheel controlled)
Powered stepwell cover with pinch resistance technology
Push-button shift control
Side cameras with turn signals
Sirius radio and tuner
Spartan Message Center with LCD display featuring:
odometer, tachometer, instantaneous fuel economy, fuel
remaining, outside air temp., coolant temp., engine oil temp.
and pressure, transmission temp., turbo boost pressure, air
pressure, diagnostic functions, fault codes, service remind-
ers, percentage of engine load, trip meter, speed and voltage
Tilt and telescoping steering
Touch-screen AM/FM/CD/DVD with GPS navigation,
Bluetooth and 4 speakers

Ultra-Vision one-piece wrap-around tinted windshield

VIP SmartSteering wheel integrated controls for systems

VIP soft-touch, wood-grain, leather-wrapped steering wheel

STANDARD CHASSIS EQUIPMENT
2 chassis batteries
4.88 "Quiet-Gear" rear axle ratio
55-degree turning radius
150-gal. fuel tank (dual fill)
170-amp alternator
15,000-lb. hitch with 7-pin plug
Allison GEN 4 3000 MH 6-speed shift pad
All-wheel ABS brakes
Automatic heated moisture ejectors
Automatic Traction Control (ATC)
Bilstein shocks (front/rear)
Cummins ISL turbocharged 450 HP engine 1,250 lb. ft.
torque at 1,300 RPM
Daytime running lights
Electronic transmission
Engine block heater
Full air front and rear brakes
HTB rear air suspension
IFS front axle 14,600-lb. wide track
IFS independent front air suspension
Meritor rear axle 20,000-lbs., tag axle 12,000-lbs.
Michelin 295/80R 22.5" radial tires
Polished aluminum wheels
Pre-wired for supplemental braking system
Raised rail for maximum storage
Remote air fill with air hose
Side-mounted radiator
Spartan Mountain Master tag axle chassis
Tag axle auto weight release
Two-stage Jake brakes
STANDARD CONSTRUCTION FEATURES
3/4" plywood main floor decking
e F-/
1-1/2" welded tubular-aluminum sidewall construction
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33)
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33),
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16)
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torq slideout system
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torg slideout system Sidewalls bolted to frame
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torq slideout system Sidewalls bolted to frame Smooth high-gloss, gel-coated fiberglass exterior walls
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torq slideout system Sidewalls bolted to frame Smooth high-gloss, gel-coated fiberglass exterior walls Steel reinforced front cap and windshield frame
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torq slideout system Sidewalls bolted to frame Smooth high-gloss, gel-coated fiberglass exterior walls
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torq slideout system Sidewalls bolted to frame Smooth high-gloss, gel-coated fiberglass exterior walls Steel reinforced front cap and windshield frame X-Bridge frames engineered into chassis
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torq slideout system Sidewalls bolted to frame Smooth high-gloss, gel-coated fiberglass exterior walls Steel reinforced front cap and windshield frame X-Bridge frames engineered into chassis
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torq slideout system Sidewalls bolted to frame Smooth high-gloss, gel-coated fiberglass exterior walls Steel reinforced front cap and windshield frame X-Bridge frames engineered into chassis STANDARD EXTERIOR EQUIPMENT 120V G.F.C.Iprotected exterior receptacle
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torq slideout system Sidewalls bolted to frame Smooth high-gloss, gel-coated fiberglass exterior walls Steel reinforced front cap and windshield frame X-Bridge frames engineered into chassis STANDARD EXTERIOR EQUIPMENT 120V G.F.C.Iprotected exterior receptacle Aerodynamic front cap
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torq slideout system Sidewalls bolted to frame Smooth high-gloss, gel-coated fiberglass exterior walls Steel reinforced front cap and windshield frame X-Bridge frames engineered into chassis STANDARD EXTERIOR EQUIPMENT 120V G.F.C.Iprotected exterior receptacle Aerodynamic front cap Carefree armored power entrance door awning
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torq slideout system Sidewalls bolted to frame Smooth high-gloss, gel-coated fiberglass exterior walls Steel reinforced front cap and windshield frame X-Bridge frames engineered into chassis STANDARD EXTERIOR EQUIPMENT 120V G.F.C.Iprotected exterior receptacle Aerodynamic front cap Carefree armored power entrance door awning Carefree armored slideout awnings
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torq slideout system Sidewalls bolted to frame Smooth high-gloss, gel-coated fiberglass exterior walls Steel reinforced front cap and windshield frame X-Bridge frames engineered into chassis STANDARD EXTERIOR EQUIPMENT 120V G.F.C.Iprotected exterior receptacle Aerodynamic front cap Carefree armored power entrance door awning Carefree armored slideout awnings Carefree Eclipse awning with polyweave fabric,
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torq slideout system Sidewalls bolted to frame Smooth high-gloss, gel-coated fiberglass exterior walls Steel reinforced front cap and windshield frame X-Bridge frames engineered into chassis STANDARD EXTERIOR EQUIPMENT 120V G.F.C.Iprotected exterior receptacle Aerodynamic front cap Carefree armored power entrance door awning Carefree armored slideout awnings Carefree Eclipse awning with polyweave fabric, aluminum armor and wind sensor
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torq slideout system Sidewalls bolted to frame Smooth high-gloss, gel-coated fiberglass exterior walls Steel reinforced front cap and windshield frame X-Bridge frames engineered into chassis STANDARD EXTERIOR EQUIPMENT 120V G.F.C.Iprotected exterior receptacle Aerodynamic front cap Carefree armored power entrance door awning Carefree armored slideout awnings Carefree Eclipse awning with polyweave fabric, aluminum armor and wind sensor CB antenna
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torg slideout system Sidewalls bolted to frame Smooth high-gloss, gel-coated fiberglass exterior walls Steel reinforced front cap and windshield frame X-Bridge frames engineered into chassis STANDARD EXTERIOR EQUIPMENT 120V G.F.C.Iprotected exterior receptacle Aerodynamic front cap Carefree armored power entrance door awning Carefree armored slideout awnings Carefree Eclipse awning with polyweave fabric, aluminum armor and wind sensor CB antenna Chrome, heated, remote controlled side-view mirrors
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torq slideout system Sidewalls bolted to frame Smooth high-gloss, gel-coated fiberglass exterior walls Steel reinforced front cap and windshield frame X-Bridge frames engineered into chassis STANDARD EXTERIOR EQUIPMENT 120V G.F.C.Iprotected exterior receptacle Aerodynamic front cap Carefree armored power entrance door awning Carefree armored slideout awnings Carefree Eclipse awning with polyweave fabric, aluminum armor and wind sensor CB antenna Chrome, heated, remote controlled side-view mirrors Docking lights
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torq slideout system Sidewalls bolted to frame Smooth high-gloss, gel-coated fiberglass exterior walls Steel reinforced front cap and windshield frame X-Bridge frames engineered into chassis STANDARD EXTERIOR EQUIPMENT 120V G.F.C.Iprotected exterior receptacle Aerodynamic front cap Carefree armored power entrance door awning Carefree armored slideout awnings Carefree Eclipse awning with polyweave fabric, aluminum armor and wind sensor CB antenna Chrome, heated, remote controlled side-view mirrors Docking lights Door for dump valve access
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torg slideout system Sidewalls bolted to frame Smooth high-gloss, gel-coated fiberglass exterior walls Steel reinforced front cap and windshield frame X-Bridge frames engineered into chassis STANDARD EXTERIOR EQUIPMENT 120V G.F.C.Iprotected exterior receptacle Aerodynamic front cap Carefree armored power entrance door awning Carefree armored slideout awnings Carefree Eclipse awning with polyweave fabric, aluminum armor and wind sensor CB antenna Chrome, heated, remote controlled side-view mirrors Docking lights Door for dump valve access Driving lamps
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torq slideout system Sidewalls bolted to frame Smooth high-gloss, gel-coated fiberglass exterior walls Steel reinforced front cap and windshield frame X-Bridge frames engineered into chassis STANDARD EXTERIOR EQUIPMENT 120V G.F.C.Iprotected exterior receptacle Aerodynamic front cap Carefree armored power entrance door awning Carefree armored slideout awnings Carefree Eclipse awning with polyweave fabric, aluminum armor and wind sensor CB antenna Chrome, heated, remote controlled side-view mirrors Docking lights Door for dump valve access Driving lamps Electric-powered double entrance step
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torq slideout system Sidewalls bolted to frame Smooth high-gloss, gel-coated fiberglass exterior walls Steel reinforced front cap and windshield frame X-Bridge frames engineered into chassis STANDARD EXTERIOR EQUIPMENT 120V G.F.C.Iprotected exterior receptacle Aerodynamic front cap Carefree armored power entrance door awning Carefree armored slideout awnings Carefree Eclipse awning with polyweave fabric, aluminum armor and wind sensor CB antenna Chrome, heated, remote controlled side-view mirrors Docking lights Door for dump valve access Driving lamps Electric-powered double entrance step Entry door with Sur-Seal air lock
1-1/2" welded tubular-aluminum sidewall construction 2" x 4" floor trusses 4-1/2" arched aluminum truss roof Aluma-Tru Superstructure construction on 16" centers Cabinetry crafted with screwed hardwood stile construction Enclosed, insulated and heated floor and underbelly (R-33) Frameless flush-mounted slideout rooms Fully decked roof with 3/8" plywood One-piece fiberglass roof Polar Pack insulation with reflective Flexfoil floor (R-33), roof (R-24), sidewalls (R-16) Reli-torq slideout system Sidewalls bolted to frame Smooth high-gloss, gel-coated fiberglass exterior walls Steel reinforced front cap and windshield frame X-Bridge frames engineered into chassis STANDARD EXTERIOR EQUIPMENT 120V G.F.C.Iprotected exterior receptacle Aerodynamic front cap Carefree armored power entrance door awning Carefree armored slideout awnings Carefree Eclipse awning with polyweave fabric, aluminum armor and wind sensor CB antenna Chrome, heated, remote controlled side-view mirrors Docking lights Door for dump valve access Driving lamps Electric-powered double entrance step

Full-body premium paint package Full-width rear mudflap Hadley air horns Hydraulic automatic leveling jacks (dual positive) Reyless entry key fob and keypad system
Power bay door locks integrated with key fob and touch pad
Rear-molded fiberglass cap with integrated rear intake Samsung 32" LCD HDTV with CD/DVD player and speakers Slideout cargo trav Sliding battery tray (2 positions) Uni-Dock exterior utility center, heated and enclosed with second system monitor panel Window awning
Xenon high visibility headlights STANDARD INTERIOR EQUIPMENT 2-panel residential-style solid hardwood passage doors throughout Aire-Secure travel locks for all passage doors

All-in-one home theater remote Central vacuum system with vac pan Electric fireplace Hardwood cabinets Hardwood fascia boards High-gloss porcelain tile floor with inlays Home theatre system, Dolby Digital 5.1 Surround Sound In-motion, roof-mounted satellite dome Lights at entrance steps Multiplex lighting system Power day/night roller shades throughout Powered HDTV antenna Samsung 40" LCD HDTV in living area Slideouts controlled with key-fob remote Solid hardwood cabinetry and miter-cornered raised-panel doors throughout Stackable washer and dryer

HEAT, POWER AND WATER EQUIPMENT 5-watt solar panel for chassis batteries 50-amp quick-connect power cord with electric reel 2,000- and 2,800-watt pure sine wave inverters with 8-6V batteries 15,000-BTU low profile central A/Cs (3) with heat pump, digital thermostat and drain tubes Aqua-Hot 450 hydronic heating system with in-floor heat throughout Black holding tank sprayer Dual insulated ceiling air ducts with adjustable air vents Glass mat batteries Holding and fresh water tanks, radiant-heated Onan 12,500-watt diesel generator with auto-changeover on sliding tray Onan auto generator and temperature start system Power auto rewind water hose Total coach water filter Winterizing kit

Desk in lieu of lounger (n/a with dinette sofa ensemble) Exterior freezer with slideout tray Free-standing table with 4 chairs and sofa Leather chairs (2) (n/a with desk option or dinette sofa ensemble)



Without compromise.

A reputation for integrity isn't built overnight. It happens only after years of doing what you say you will do—and by practicing the Golden Rule.

Over the last 40 years, the Bontrager family has worked hard to establish a reputation of integrity in the RV business. Through ups and downs, successes and failures, these four decades have taught us the importance of doing our best to meet our customers' expectations. And that is why we are excited to introduce the finest line of RVs we have ever built—the motor coaches from Entegra Coach.

We believe Entegra Coach captures everything we stand for, from its structural quality and old-world craftsmanship, to unmatched customer service. We hope you'll take some time with your local dealer to understand why our family stands so strongly behind Entegra Coach.

2-YEAR WARRANTY

(5-YEAR STRUCTURAL)

Our family is proud to stand behind every Entegra Coach we build. That's why we back our motor coaches with a manufacturer's limited warranty against defects in materials and workmanship, warranted to the original purchaser for two years (five years structural) from the original date of purchase or 24,000 miles of use, whichever comes first. Our commitment is to provide you with the highest level of products and services possible. We invite you to compare us with other manufacturers—we think you'll find that your satisfaction is our lifelong passion. For a copy of the limited warranty with full terms and conditions, ask your local Entegra Coach dealer.

WWW.ENTEGRACOACH.COM



3-YEAR PLATINUM-LEVEL ROADSIDE ASSISTANCE

We promise peace of mind in countless ways with the Entegra Coach Customer First Roadside Assistance program, yours at no cost during your first three years of ownership. Offered through National Motor Club, the largest RV emergency road service in the country, this program gives you immediate access to dependable roadside assistance and support services with a simple phone call.

- 24/7 technical support and assistance technicians
- Service appointment assistance
- Mobile mechanic
- Emergency road towing and winching
- Delivery of emergency fluids
- Flat tire service
- Jump start/battery boost
- Lockout service
- Complete concierge service (including many types of errands and personal services)

GROSS VEHICLE WEIGHT RATING (GVWR): The maximum permissible weight of the motor coach, including the Unloaded Vehicle Weight (UVW) plus passengers, personal items, all cargo, fluids, options and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the Cargo Carrying Capacity.

GROSS AXLE WEIGHT RATING (GAWR): The maximum allowable weight each axle assembly is designed to carry, as measured at the tires, therefore including the weight of the axle assembly itself.

GROSS COMBINED WEIGHT RATING (GCWR): The maximum allowable combined weight of the motor coach used as a tow vehicle and the attached towed vehicle.

It is important for your safety and enjoyment that you are aware of the weights and tow ratings of the RV you select. Consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your RV before heading out on the roadways. When you tow a vehicle with your RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Entegra Coach affixes a weight label to each RV which lists weight information for that vehicle. Refer to that label to verify the vehicle will meet your requirements. See specifications chart inside.

See dealer for further information and prices. All information in this brochure is the latest available at the time of publication approval. Entegra Coach reserves the right to make changes and to discontinue models without notice or obligation. Photos in this brochure may show optional equipment and props for photography purposes. RVs built for sale in Canada may differ to conform to Canadian codes. ©2011 Entegra Coach, Inc. 12-ATIM-PL 0711-20K Printed in U.S.A.

Entegra Coach, Inc., P.O. Box 460, Middlebury, IN 46540 | www.entegracoach.com